



aristopet

www.aristopet.com.au

Material Safety Data Sheet

Not classified as Hazardous according to criteria of Worksafe Australia

Aqua Master Fluke & Tapeworm Tablets

Issue Date: March 2006

MSDS 205

IDENTIFICATION

Product Name: Aqua Master Fluke & Tapeworm Tablets
Synonyms: Nil
Manufacturer's Product Code(s): AM86, AM87
Use: For the control of flukes and tapeworms in ornamental fresh and saltwater fish.
UN Number: Not Allocated
Proper Shipping Name: Not Allocated.
Dangerous Goods Class: Not Allocated
Subsidiary risk: Not Allocated
Packing Group: Not Allocated
Hazchem Code: Not Allocated
Poison Schedule: Not Allocated

PHYSICAL PROPERTIES

Appearance: Off White 7/16" FBE B/Bar Tablet
Melting Point: N/A
Vapour Pressure: N/A
Specific Gravity: N/A
Flash Point: Not Flammable
Flammability Limits: N/A
Solubility in Water: Soluble

INGREDIENTS

SUBSTANCE NAME	Proportion	CAS Number
Praziquantel	> 30%	98123-83-2
Non-Hazardous Substances	> 60%	Mixture

HEALTH HAZARD INFORMATION

ACUTE HEALTH EFFECTS

NOT CLASSIFIED AS HAZARDOUS ACCORDING TO THE CRITERIA OF WORKSAFE AUSTRALIA

Swallowed:

May cause irritation to mouth, throat and stomach with effects including mucous build up, irritation to the tongue and lips and pains in the stomach, which may lead to nausea, vomiting and diarrhoea.

Eye:

Powder from tablet may cause irritation to the eyes with effects including tearing, pain, stinging and blurred vision.

Skin:

Powder from tablet may cause irritation to the skin with effects including redness and itchiness.



aristopet

Aristopet Pty. Ltd. ABN 99 009 697 152
Head Office >>874 Kingsford Smith Drive
Eagle Farm Q Australia 4009
Postal Address >>PO Box 2
Fortitude Valley Q Australia 4006
Phone >>07 3630 2166
Fax >>07 3630 2177
email >>sales@aristopet.com.au
www.aristopet.com.au

We Love your pet foo!

Material Safety Data Sheet

Not classified as Hazardous according to criteria of Worksafe Australia

Aqua Master Flake & Tapeworm Tablets

Issue Date: March 2006

MSDS 205

Inhaled:

Powder from the product may cause irritation to the nose, throat and respiratory system with effects including coughing, discomfort, difficulty breathing and shortness of breath.

FIRST AID

Swallowed:

If swallowed, DO NOT induce vomiting. Give 3 to 4 glasses of water to drink. If irritation persists transport to hospital or doctor.

Eye:

If powder enters into eyes, flush with plenty of water for at least 15 minutes, ensuring eye lids are held open. If symptoms persist immediately transport to hospital or doctor.

Skin:

If powder falls onto the skin, wash skin thoroughly with water. If symptoms persist transport to hospital or doctor.

Inhaled:

Move victim to fresh air.

First Aid Facilities:

Eye wash fountain, safety shower and normal wash room facilities.

Advice to Doctor:

Treat symptomatically.

In case of poisoning, contact Poisons Information Centre

In Australia Tel: 131126

In New Zealand Tel: 0800 764 766

PRECAUTIONS FOR USE

Exposure Standards

No exposure standards have been assigned by the National Occupational Health & Safety Commission (NOHSC) for this product or any of the components:

Engineering Controls

Good industrial hygiene practice requires that employee exposure be maintained below the recommended exposure standards. This is preferably achieved through the provision of adequate ventilation where necessary. Where dust cannot be controlled in this way, personal respiratory protection should be employed.

Personal Protection Equipment

Gloves:

Not considered necessary in normal use. If handling large quantities PVC or natural rubber gloves are recommended.

Eyes:

Not considered necessary in normal use. If handling large quantities chemical goggles or faceshield to protect eyes are recommended.

Respiratory Protection:

Avoid breathing powdered material. No respiratory equipment required during normal use. If handling excessive quantities use of a suitable dust mask or half-face respirator with a P1 filter is recommended. All respirators must comply with AS/NZS 1715 and AS/NZS 1716.

Material Safety Data Sheet

Not classified as Hazardous according to criteria of Worksafe Australia

Aqua Master Fluke & Tapeworm Tablets

Issue Date: March 2006

MSDS 205

SAFE HANDLING INFORMATION

Avoid generating dusts. Store in a cool place and out of direct sunlight. Store away from sources of heat or ignition. Store away from oxidizing agents. Keep containers closed, when not using the product. Store in original packages as approved by manufacturer.

Transport

UN Number:	Not Allocated
Proper Shipping Name:	Not Allocated
Dangerous Goods Class:	Not Allocated
Subsidiary risk:	Not Allocated
Packing Group:	Not Allocated
Hazchem Code:	Not Allocated

Not classified as a Dangerous Good according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code) 6th Edition. Not classified as a Dangerous Good according to the UN, DOT(US), ICAO(IATA) or IMO(IMDG).

Spills

This product is a powder, under appropriate conditions dusts may be generated. Wear suitable protective equipment in these circumstances. Ventilate area. If possible wet area down to prevent high dust levels. If spill occurs, use dustless methods, such as a HEPA vacuum and filter. Otherwise, use a non-sparking shovel and place into a suitably labelled container for later disposal. Do not dry sweep. Remainder of material can be picked up and re-cycled or disposed.

Disposal

Refer to appropriate authority in your State. Dispose of material through a licensed waste contractor. Normally suitable for disposal by approved waste disposal agent.

Fire

Fire/Explosion Hazard:	If safe to do so, move undamaged containers from fire area.
Hazardous Decomposition Products:	Decomposes on heating emitting soot, smoke and decomposition products.
Fire Fighting Procedures:	Fire fighters to wear Self-contained breathing apparatus (SCBA) in confined spaces, in oxygen deficient atmospheres or if exposed to products of decomposition. Full protective clothing is also recommended.
Extinguishing Media:	Use extinguishing media suitable for surrounding fire situation.

Flammability

This material is not a combustible or flammable solid.

CONTACT POINT

Contact Point

Len Walker (07) 3630 2166

Disclaimer

The information herein is to the best of our knowledge, correct and complete. It describes the safety requirements for this product and should not be construed as guaranteeing specific properties. Since methods and conditions are beyond our control we do not accept liability for any damages resulting from the use of, or reliance on, this information in inappropriate contexts.